

**IN THE CLAIMS**

The following listing of the claims is provided in accordance with 37 C.F.R. §1.121.

1. (previously presented) A computer-implemented method for processing digital images comprising:
  - analyzing image data to identify indicia apparent in an image reconstructed from the image data;
  - identifying one or more region in which the indicia appear in the image, including text in horizontal and vertical orientations;
  - comparing the indicia to a list of indicia to remain decipherable or to a list of indicia to be rendered undecipherable in the reconstructed image; and
  - based upon the comparison, replacing image data for at least one region with replacement data to render indicia undecipherable in an image reconstructed from the image data.
2. (original) The method of claim 1, wherein the identifying indicia include text defined by pixels of the image reconstructed from the image data.
3. (original) The method of claim 1, wherein the indicia are identified by optical character recognition.
4. (original) The method of claim 1, wherein the replacement data masks the one or more region with a substantially uniform pixel intensity.
5. (previously presented) The method of claim 1, comprising identifying indicia to remain decipherable in the image reconstructed from the image data, and wherein the step of replacing the image data only replaces data for the at least one region and not for regions in which the indicia to remain decipherable appear.

6. (original) The method of claim 1, comprising allowing desired indicia to remain decipherable in the image reconstructed from the image data.

7. (original) The method of claim 6, wherein the desired indicia include indicia providing a general description of the image subject matter or a date.

8. (previously presented) The method of claim 1, wherein the image data represents a medical diagnostic image, and wherein indicia rendered undecipherable include patient identifying indicia.

9. (original) The method of claim 1, wherein the image data encodes a grey scale image.

10. (previously presented) A computer-implemented method for processing digital images comprising:

analyzing image data via optical character recognition to identify textual indicia apparent in an image reconstructed from the image data;

identifying one or more region in which the indicia appear in the image, including text in horizontal and vertical orientations;

comparing the identified textual indicia to a list of textual indicia to remain decipherable in the reconstructed image; and

based upon the comparison, replacing image data for at least one region with replacement data to render indicia in the at least one region undecipherable in an image reconstructed from the image data, and wherein textual indicia to remain decipherable in the reconstructed image is not replaced with replacement data.

11. (original) The method of claim 10, wherein the image data represents a medical diagnostic image, and wherein the undesired indicia include patient identifying indicia.

12. (canceled)

13. (original) The method of claim 10, wherein the textual indicia to remain decipherable include indicia providing a general description of the image subject matter or a date.

14. (original) The method of claim 10, wherein the replacement data masks the one or more region with a substantially uniform pixel intensity.

15. (previously presented) A computer-implemented method for processing digital images comprising:  
analyzing medical diagnostic image data via optical character recognition to identify textual indicia including indicia of patient identity apparent in an image reconstructed from the image data;  
identifying one or more region in which the indicia appear in the image, including text in horizontal and vertical orientations;  
comparing the identified textual indicia to a list of textual indicia to be rendered undecipherable in the reconstructed image; and  
based upon the comparison, replacing image data for one or more regions in which textual indicia is to be rendered undecipherable with replacement data to render the indicia undecipherable in an image reconstructed from the image data.

16. (canceled)

17. (previously presented) The method of claim 15, wherein the textual indicia to remain decipherable include indicia providing a general description of the image subject matter or a date.

18. (original) The method of claim 15, wherein the replacement data masks the one or more region with a substantially uniform pixel intensity.

19. (previously presented) A system for processing digital images comprising:  
means for analyzing image data to identify indicia apparent in an image reconstructed from the image data;  
means for identifying one or more region in which the indicia appear in the image, including text in horizontal and vertical orientations;  
means for comparing the indicia to a list of indicia to remain decipherable or to a list of indicia to be rendered undecipherable in the reconstructed image; and  
means for replacing image data for at least one region with replacement data to render indicia undecipherable in an image reconstructed from the image data based upon the comparison.

20. (previously presented) A system for processing digital images comprising:  
means for analyzing image data via optical character recognition to identify textual indicia apparent in an image reconstructed from the image data;  
means for identifying one or more region in which the indicia appear in the image, including text in horizontal and vertical orientations;  
means for comparing the identified textual indicia to a list of textual indicia to remain decipherable in the reconstructed image; and  
means for replacing image data for at least one region with replacement data to render indicia in the at least one region undecipherable in an image reconstructed from the image data, and wherein textual indicia to remain decipherable in the reconstructed image is not replaced with replacement data based on upon the comparison.

21. (previously presented) A system for processing digital images comprising:  
means for analyzing medical diagnostic image data via optical character recognition to identify textual indicia including indicia of patient identity apparent in an image reconstructed from the image data;  
means for identifying one or more region in which the indicia appear in the image, including text in horizontal and vertical orientations;

means for comparing the identified textual indicia to a list of textual indicia to be rendered undecipherable in the reconstructed image; and

means for replacing image data for one or more regions in which textual indicia is to be rendered undecipherable with replacement data to render the indicia undecipherable in an image reconstructed from the image data based upon the comparison.

22. (previously presented) A computer program for processing image data comprising:  
at least one computer readable medium; and  
code stored on the at least one computer readable medium encoding routines for analyzing image data to identify indicia apparent in an image reconstructed from the image data, identifying one or more region in which the indicia appear in the image, including text in horizontal and vertical orientations, comparing the indicia to a list of indicia to remain decipherable or to a list of indicia to be rendered undecipherable in the reconstructed image, and replacing image data for at least one region with replacement data to render indicia undecipherable in an image reconstructed from the image data based upon the comparison.

23. (previously presented) A computer program for processing image data comprising:  
at least one computer readable medium; and  
code stored on the at least one computer readable medium encoding routines for analyzing image data via optical character recognition to identify textual indicia apparent in an image reconstructed from the image data, identifying one or more region in which the indicia appear in the image, including text in horizontal and vertical orientations, comparing the identified textual indicia to a list of textual indicia to remain decipherable in the reconstructed image, and replacing image data for at least one region with replacement data to render indicia in the at least one region undecipherable in an image reconstructed from the image data, and wherein textual indicia to remain decipherable in the reconstructed image is not replaced with replacement data based upon the comparison.

24. (previously presented) A computer program for processing image data comprising:  
at least one computer readable medium; and  
code stored on the at least one computer readable medium encoding routines for  
analyzing medical diagnostic image data via optical character recognition to identify textual  
indicia including indicia of patient identity apparent in an image reconstructed from the image  
data, identifying one or more region in which the indicia appear in the image, including text in  
horizontal and vertical orientations, comparing the identified textual indicia to a list of textual  
indicia to be rendered undecipherable in the reconstructed image, and replacing image data for one  
or more regions in which textual indicia is to be rendered undecipherable with replacement data to  
render the indicia undecipherable in an image reconstructed from the image data based upon the  
comparison.
25. (previously presented) An image generated by the method of claim 1 and stored on a  
computer readable medium.
26. (previously presented) An image generated by the method of claim 10 and stored on  
a computer readable medium.
27. (previously presented) An image generated by the method of claim 15 and stored  
on a computer readable medium.